

**Grassland Bypass Project
Interim Baseline Monitoring Program**

Monthly Data Report

August 2014



A Cooperative Effort Of:

U.S. Bureau of Reclamation

Central Valley Regional Water Quality Control Board

U.S. Fish and Wildlife Service

National Marine Fisheries Service

California Department of Fish and Wildlife


San Luis & Delta-Mendota Water Authority

U.S. Environmental Protection Agency

U.S. Geological Survey

Compiled by San Francisco Estuary Institute

Figure 1. Map of the Grassland Bypass Project area



Grassland Bypass Project

Monitoring Sites

0 2.5 5 10 Miles



Grassland Bypass Project
 NAD 1983 California Zone 10
 U.S. Bureau of Reclamation



**GRASSLAND BYPASS PROJECT
MONTHLY DATA REPORT**

LIST OF TABLES FOR MONTHLY REPORT

- Figure 1. Map of the 2014 Grasslands Bypass Monitoring Program
- Figure 2. Monthly selenium discharges from the terminus of the San Luis Drain into Mud Slough compared to load values.
- Table 1. Water monitoring of inflow to the San Luis Drain (Station A)
- Table 2a. Water monitoring of San Luis Drain Discharge into Mud Slough (north) (Station B2 and B3)
- Table 2b. Water quality monitoring at Station Be (discharge from San Luis Drain) (Station B3)
- Table 3a. Water monitoring in Mud Slough (north) below San Luis Drain discharge (Station D)
- Table 3b. Water quality monitoring in Mud Slough (north) below San Luis Drain Discharge (Station D)
- Table 4. Water quality monitoring in Mud Slough (north) above San Luis Drain Discharge (Station C)
- Table 5. Water quality monitoring in Mud Slough (north) backwater below San Luis Drain Discharge (Station I2)
- Table 6a. Water monitoring in Salt Slough at Highway 165 (Station F)
- Table 6b. Water quality monitoring in Salt Slough at Highway 165 (Station F)
- Table 7a. Water quality monitoring in Grasslands Wetland Water Supply Channels (Station J Camp 13 Ditch Headworks)
- Table 7b. Water quality monitoring in Grasslands Wetland Water Supply Channels (Station K Agatha Canal Headworks)
- Table 8a. Water monitoring in the San Joaquin River above the Merced River (Station H2)
- Table 9. Water quality monitoring in the San Joaquin River above Merced River at China Island Refuge (Station R)
- Table 10. Water monitoring in the San Joaquin River at Fremont Ford (Station G)
- Table 11a. Water monitoring in the San Joaquin River at Crows Landing (Station N)
- Table 11b. Water quality monitoring in the San Joaquin River at Crows Landing (Station N)
- Table 12. Summary of fathead minnow (*Pimephales promelas*) larvae survival in 7-day tests □
- Table 13. Summary of fathead minnow (*Pimephales promelas*) larvae growth in 7-day tests
- Table 14. Summary of *Daphnia magna* survival in 7-day tests using water samples
- Table 15. Summary of *Daphnia magna* reproduction in 7-day tests
- Table 16. Summary of *Selenastrum capricornutum* growth in 4-day tests
- Table 17. Summary of selenium concentrations in grab water samples collected at study stations for use in toxicity tests
- Table 18. Summary of total suspended solids concentrations in grab water samples
- Table 19. Explanation of footnotes and agency abbreviations

Grassland Bypass Project

Table 1a. Water monitoring of inflow to the San Luis Drain (Station A)

PARAMETER	Flow	Temperature	Specific Conductance	Total Dissolved Solids	Total Suspended Solids	Total Selenium	Daily Salt Load
DATA SOURCE	SLDMWA	SLDMWA	SLDMWA	Calculated	SLDMWA	SLDMWA/USBR	Calculated
UNITS	cfs	°C	µS/cm	mg/L	mg/L	µg/L	tons
Aug-01-2014	0	27.5	6,140	4,543		19	2
Aug-02-2014	0	27.2	7,920	5,858		17	0
Aug-03-2014	0	25.7	9,590	7,094		19	0
Aug-04-2014	2	23.8	9,390	6,946	103	17	32
Aug-05-2014	1	24.8	7,290	5,394		11	9
Aug-06-2014	0	26.0	6,310	4,667		9	0
Aug-07-2014	0	26.1	5,890	4,358		7	0
Aug-08-2014	0	24.7	6,290	4,655		7	0
Aug-09-2014	0	24.0	6,750	4,998		7	0
Aug-10-2014	0	21.9	7,080	5,241		13	0
Aug-11-2014	1	25.2	6,830	5,054	73	13	10
Aug-12-2014	0	25.4	5,140	3,807		12	0
Aug-13-2014	0	25.1	5,200	3,848		12	0
Aug-14-2014	0	26.6	5,210	3,859		11	0
Aug-15-2014	0	26.4	5,300	3,923		13	0
Aug-16-2014	0	26.1	5,910	4,376		13	0
Aug-17-2014	0	25.4	6,470	4,785		13	0
Aug-18-2014	0	25.1	6,550	4,848	34	11	1
Aug-19-2014	0	24.0	6,520	4,827		14	0
Aug-20-2014	0	23.5	6,560	4,853		15	0
Aug-21-2014	0	24.1	6,690	4,949		19	0
Aug-22-2014	0	23.9	6,750	4,993		17	0
Aug-23-2014	0	24.1	6,770	5,007		15	0
Aug-24-2014	0	24.6	7,030	5,200		16	0
Aug-25-2014	0	23.3	7,210	5,335	136	14	2
Aug-26-2014	1	23.7	7,710	5,708		15	11
Aug-27-2014	0	26.1	8,090	5,984		14	0
Aug-28-2014	1	26.3	7,700	5,700		16	9
Aug-29-2014	2	25.8	7,630	5,643		15	28
Aug-30-2014	1	26.2	6,660	4,926		14	15
Aug-31-2014	0	24.8	6,460	4,782		12	0

Notes:

See Table 19 for explanation of footnotes and agency abbreviations.

Preliminary Results

Site A Selenium data are not collected by Reclamation and have been deemed unreliable by Reclamation Staff.

Table 1b. Monthly Averages and Totals

	Total Flow	Average Temperature	Average Specific Conductance	Average Total Dissolved Solids	Average Total Suspended Solids	Average Selenium	Salt Load	Salt Load Objective
	Calculated	Calculated	Calculated	Calculated	Calculated	Calculated	Calculated	UA3
	acre-feet	°C	µS/cm	mg/L	mg/L	µg/L	tons	tons
Jan-2014	650	9.8	7,320	5,418	46	26	4,620	4,283
Feb-2014	1,040	13.6	6,860	5,074	136	31	6,930	6,779
Mar-2014	600	17.3	7,190	5,323	96	27	3,990	8,031
Apr-2014	360	18.3	7,950	5,112	134	30	1,870	5,910
May-2014	280	21.9	6,200	4,589	97	36	1,690	5,792
Jun-2014	430	24.0	7,000	5,179	154		2,970	5,991
Jul-2014	280	26.1	6,860	5,079	128		1,980	6,055
Aug-2014	15	25.1	6,810	3,037	87		119	5,373
Cumulative Total	3,655						24,169	48,214

Notes:

Salt load objective based on 2014 critical year type

Table 2a. Water monitoring of San Luis Drain Discharge into Mud Slough (north)
Station B2 (Terminus at Mud Slough) and Station B3 (Gun Club Road)

PARAMETER	Flow (B2)	Temperature (B2)	Specific Conductance (B2)	Total Suspended Solids (B2)	Boron (B3)	Total Selenium (B3)	Daily Selenium Load
DATA SOURCE	SLDMWA♦	SLDMWA	SLDMWA	SLDMWA/USBR	USBR	USBR	Calculated
UNITS	cfs	°C	µS/cm	mg/L	mg/L	µg/L	lbs
Aug-01-2014	4	30.0	10,100		20.0	11.5	0.2
Aug-02-2014	3	29.1	10,200		21.0	11.2	0.2
Aug-03-2014	3	25.8	10,500		22.0	11.4	0.2
Aug-04-2014	2	23.2	10,500	21	22.0	11.4	0.1
Aug-05-2014	1	25.7	10,500		21.0	11.3	0.0
Aug-06-2014	1	27.9	10,500		21.0	11.8	0.0
Aug-07-2014	1	28.8	10,600		22.0	10.9	0.1
Aug-08-2014	2	27.0	10,900		27.0	13.5	0.1
Aug-09-2014	1	27.2	10,900		28.0	12.5	0.1
Aug-10-2014	1	23.8	10,900		27.0	9.9	0.0
Aug-11-2014	0	27.3	10,900	27	26.0	9.1	0.0
Aug-12-2014	0	25.9	11,000		27.0	8.3	0.0
Aug-13-2014	0	24.7	11,100		26.0	5.8	0.0
Aug-14-2014	0	27.3	11,100		28.0	7.1	0.0
Aug-15-2014	0	27.2	11,300		27.0	11.8	0.0
Aug-16-2014	0	26.7	11,500		27.0	9.4	0.0
Aug-17-2014	0	25.4	11,500		28.0	8.6	0.0
Aug-18-2014	0	25.2	11,600	94	29.0	8.9	0.0
Aug-19-2014	0	24.3	11,800		28.0	12.7	0.0
Aug-20-2014	0	24.7	11,900		29.0	10.0	0.0
Aug-21-2014	0	24.9	12,000		29.0	13.2	0.0
Aug-22-2014	0	26.0	12,000		25.0	8.4	0.0
Aug-23-2014	0	24.3	12,000		26.0	7.4	0.0
Aug-24-2014	0	24.6	12,000		26.0	7.5	0.0
Aug-25-2014	0	23.1	12,100	29	25.0	8.7	0.0
Aug-26-2014	0	24.2	12,400		25.0	8.0	0.0
Aug-27-2014	0	27.5	12,400		25.0	9.3	0.0
Aug-28-2014	0	26.6	12,400		26.0	9.9	0.0
Aug-29-2014	0	26.0	12,500		27.0	9.8	0.0
Aug-30-2014	0	27.5	12,600		26.0	11.2	0.0
Aug-31-2014	1	25.7	12,700		26.0	11.9	0.1

Notes:

See Table 19 for explanation of footnotes and agency abbreviations.
Preliminary Data

Table 2b. Monthly Averages and Totals

	Flow (B2)	Average Temperature (B2)	Average Specific Conductance (B2)	Average Total Suspended Solids	Average Boron (B3)	Average Selenium	Selenium Load	Selenium Load Objective
	Calculated	Calculated	Calculated	Calculated	Calculated	Calculated	Calculated	UA3
	acre-feet	°C	µS/cm	mg/L	mg/L	µg/L	lbs	lbs
Jan-2014	970	10.1	5,290	13	10.2	14.0	39	151
Feb-2014	1270	12.6	6,100	139	12.6	26.0	88	93
Mar-2014	900	15.0	5,980	50	11.8	20.8	63	92
Apr-2014	490	18.1	6,570	72	13.0	13.8	19	101
May-2014	400	22.1	6,740	46	12.8	13.6	17	105
Jun-2014	410	25.2	8,150	60	14.6	16.9	25	69
Jul-2014	180	28.1	9,710	28	19.1	11.3	5	70
Aug-2014	21	26.1	11,400	43	25.5	10.1	1	75
Cumulative Load Totals	4,641						257	756

Notes:

Selenium load objective based on 2014 critical year type

Table 2c. Water quality monitoring at Station B3 (discharge from San Luis Drain)

PARAMETER	Physicals					Total Selenium	Total Boron	Total Molybdenum
	Dissolved Oxygen	pH	Specific Conductance	Temperature	Turbidity			
	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE			
UNITS	mg/L	units	µS/cm	°C	NTU	ug/L	mg/L	ug/L
Jun-06-2014	16.8	8.9	8,250	25.5	26.6	19	16	
Jun-13-2014	12.7	9.3	8,260	26.4		13	15	
Jun-20-2014	10.5	8.9	9,470	25.0	28.4	11	18	
Jun-26-2014	9.8	8.7	5,920	25.1	14.6	35	10	20.0
Jul-02-2014		8.9	8,580	26.2	21.2	16	17	
Jul-11-2014	8.5	8.8	8,730	26.9	16.5	13	19	
Jul-18-2014	4.4	9.1	10,600	25.4	13.9	12	24	
Jul-25-2014	6.3	8.8	7,460	26.0	20.1	9	16	
Jul-31-2014	7.5	8.4	10,200	29.6		12	23	9.5
Aug-07-2014	7.2	8.4	10,600	28.0	9.8	10	24	
Aug-15-2014	9.2	7.8	11,200	24.5	14.5	10	27	
Aug-22-2014	9.4	8.2	12,000	26.8		9	28	

Notes:

	Nutrients				
	Nitrates as N (Dissolved)	Ammonia as N	Total Kjeldahl Nitrogen	Total Phosphorous as P	Ortho-phosphate as P
	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE
UNITS	mg/L	mg/L	mg/L	mg/L	mg/L
Jan-09-2014	0.5	0.1	1.4	0.094 V	0.015 T
Feb-27-2014	3.7 T	0.2 L	1.7	0.095 T	<0.010
Mar-26-2014	<0.02	0.1	2.6	0.190 T	<0.010
Apr-25-2014					
May-08-2014	0.2	0.3	3.0	0.190 T	< 0.010
Jun-26-2014	4.8	1.1 U	3.5	0	< 0.050
Jul-31-2014	< 0.02	0.2 V	3.7	0.150	< 0.010
Aug-31-2014					

Notes:

Results of the Interim Monitoring Program Oct 2013 - Feb 2014

	General Minerals						
	Calcium	Magnesium	Potassium	Sodium	Chloride (Dissolved)	Sulfate (Dissolved)	Total Organic Carbon
	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE
UNITS	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Jan-09-2014	270	110	6.8	620	670	1,400	NA
Feb-27-2014	220	100	4.0	880	750	1,500	8.5

Notes:

	Total Metals								
	Arsenic	Boron	Cadmium	Copper	Lead	Mercury	Molybdenum	Nickel	Zinc
	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE
UNITS	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Jan-09-2014	5.5	9,000	<1.0	41	<2.5	100	31.0	17.0	<5.0
Feb-27-2014	<10		<1.0	<50	<2.5	<100	24.0	23.0	<10

Notes:

Figure 2. Monthly selenium discharges from the terminus of the San Luis Drain into Mud Slough compared to load values.




Table 3a. Water monitoring in Mud Slough (north) below San Luis Drain Discharge Station D

PARAMETER	Flow	Temperature	Specific Conductance
DATA SOURCE	USGS	USGS	USGS
UNITS	cfs	°C	µS/cm
Aug-01-2014	1	27.8	8,890
Aug-02-2014	1	27.6	9,320
Aug-03-2014	1	26.2	8,500
Aug-04-2014	1	24.4	7,370
Aug-05-2014	1	25.4	7,090
Aug-06-2014	1	26.6	5,990
Aug-07-2014	1	27.6	6,140
Aug-08-2014	1	27.1	7,480
Aug-09-2014	1	27.1	7,450
Aug-10-2014	1	26.1	6,420
Aug-11-2014	0	26.8	5,120
Aug-12-2014	0	26.7	4,410
Aug-13-2014	0	25.7	3,790
Aug-14-2014	0	26.5	3,720
Aug-15-2014	0	26.9	3,900
Aug-16-2014	0	26.8	4,290
Aug-17-2014	0	25.8	4,540
Aug-18-2014	0	25.6	4,620
Aug-19-2014	0	25.8	4,880
Aug-20-2014	0	25.8	5,190
Aug-21-2014	0	25.7	5,310
Aug-22-2014	0	24.7	5,520
Aug-23-2014	0	24.5	5,790
Aug-24-2014	0	25.0	6,020
Aug-25-2014	0	24.0	6,460
Aug-26-2014	0	24.3	6,870
Aug-27-2014	0	25.4	7,250
Aug-28-2014	0	25.5	7,590
Aug-29-2014	0	24.8	7,850
Aug-30-2014	0	24.9	8,110
Aug-31-2014	0	25.0	

Notes:

See Table 19 for explanation of footnotes and agency abbreviations.
Preliminary Data

Table 3b. Monthly Averages

PARAMETER	Total Flow	Temperature	Specific Conductance
DATA SOURCE	Calculated	USGS	USGS
UNITS	acre-feet	°C	µS/cm
January	3,360	11	3,120
February	4,250	14	3,600
March	5,390	17	3,230
April	1,960	20	4,130
May	270	22	6,530
June	400	25	7,960
July	290	27	8,810
August	20	26	6,200
September			
October			
November			
December			

Table 3c. Water quality monitoring in Mud Slough (north) below San Luis Drain discharge (Station D)

PARAMETER	Physicals					Total Selenium	Total Boron	Total Molybdenum
	Dissolved Oxygen	pH	Specific Conductance	Temperature	Turbidity			
	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE			
UNITS	mg/L	units	µS/cm	°C	NTU	ug/L	mg/L	ug/L
Jun-06-2014	18.2	8.6	8,620	26.3	20.9	7.2	12.0	
Jun-13-2014	9.5	9.0	8,950	26.9		11.6	16.0	
Jun-20-2014	11.9	8.9	7,400	25.6	38.0	11.2	13.0	
Jun-26-2014	12.5	9.0	6,340	25.1	22.6	34.9 U	11.0	19
Jul-02-2014		9.0	8,740	27.9	29.8	16.9	17.0	
Jul-11-2014	6.7	8.5	9,710	30.5	13.8	12.7	20.0	
Jul-18-2014	5.2	8.7	10,000	26.9	9.2	9.9	21.0	
Jul-25-2014	7.9	9.0	9,210	27.4	14.6	10.2	20.0	
Jul-31-2014	7.4	8.7	9,000	29.2		9.8	19.0	11
Aug-07-2014	10.1	8.2	6,680	27.2	11.3	3.7	12.0	
Aug-15-2014	10.6	8.3	4,160	24.9	51.9	1.6	4.6	
Aug-22-2014	8.8	8.3	5,810	27.1		2.0	6.6	

Notes:

	Nutrients				
	Nitrates as N (dissolved)	Ammonia as N	Total Kjeldahl Nitrogen	Total phosphorous as P	Ortho-phosphate as P
	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE
UNITS	mg/L	mg/L	mg/L	mg/L	mg/L
Jan-09-2014	0.2	0.2	<5.0	0.12 V	0.046 T
Feb-27-2014	1.0 T	0.2 L	1.5	0.33 T	0.026
Mar-26-2014	0.02	0.2	2.5	0.62 T, U	0.220
Apr-25-2014					
May-08-2014	0.31	0.3	2.5	0.28 T	<0.010
Jun-26-2014	4.80 U	0.8 U	3.5 U	0.18	<0.050
Jul-31-2014	<0.02	0.2V	3.5 L, U	0.13	<0.010
Aug-31-2014					

Notes:

Results of the Interim Monitoring Program Oct 2013 - Feb 2014

	General Minerals						
	Calcium	Magnesium	Potassium	Sodium	Chloride (dissolved)	Sulfate (dissolved)	Total Organic Carbon
	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE
UNITS	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Jan-09-2014	120	76	6.5	400	470	650	NA
Feb-27-2014	110	75	6.0	480	480	670	11.0

Notes:

	Total Metals						
	Arsenic	Cadmium	Copper	Lead	Mercury	Nickel	Zinc
	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE
UNITS	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Jan-09-2014	5.3	<1.0	29 L	<2.5	110	10.0	<5.0
Feb-27-2014	<5.0	<1.0	<50	<2.5	<100	16.0	<10

Notes:

Table 4. Water quality monitoring in Mud Slough (north) above the San Luis Drain (Station C)

	Physicals						
PARAMETER	Dissolved Oxygen	Specific Conductance	Turbidity	pH	Boron	Total Selenium	Molybdenum
DATA SOURCE	WSJRW	WSJRW	WSJRW	USBR	WSJRW	WSJRW	USBR
UNITS	mg/L	µS/cm	NTU	units	mg/L	µg/L	µg/L
Jun-06-2014							
Jun-13-2014							
Jun-20-2014	15.9	6,810	4.8	8.4	1.2	<0.4	
Jun-26-2014							
Jul-02-2014							
Jul-11-2014							
Jul-18-2014							
Jul-25-2014							
Jul-31-2014							
Aug-07-2014							
Aug-15-2014							
Aug-22-2014							

Notes:

- > Samples only collected when flow is sufficient.
- > June 20 very little flow during sample collection

Table 5. Water quality monitoring in Mud Slough (north) backwater below San Luis Drain discharge (Station I2)

PARAMETER	Physicals					Total Selenium
	Dissolved Oxygen	pH	Specific Conductance	Temperature	Turbidity	
DATA SOURCE	USB	USB	USB	USB	USB	USB
UNITS	mg/L	units	µS/cm	°C	NTU	µg/L
Jun-06-2014						
Jun-13-2014						
Jun-20-2014						
Jun-26-2014						
Jul-02-2014						
Jul-11-2014						
Jul-18-2014						
Jul-25-2014						
Jul-31-2014						
Aug-07-2014						
Aug-15-2014						
Aug-22-2014						

Notes:

Samples collected only when site is flooded

Site was dry from June through August (no sample collected)

Table 6a. Water monitoring in Salt Slough at Highway 165
Station F

PARAMETER	Flow	Temperature	Specific Conductance
DATA SOURCE	USGS	USGS	USGS
UNITS	cfs	°C	µS/cm
Aug-01-2014	38	28.5	1,020
Aug-02-2014	39	27.6	984
Aug-03-2014	35	27.1	949
Aug-04-2014	33	24.2	896
Aug-05-2014	33	23.9	923
Aug-06-2014	29	25.5	935
Aug-07-2014	18	27.2	939
Aug-08-2014	26	27.7	961
Aug-09-2014	21	27.3	957
Aug-10-2014	17	26.6	930
Aug-11-2014	18	26.1	930
Aug-12-2014	16	26.8	961
Aug-13-2014	22	26.0	984
Aug-14-2014	19	26.0	1,000
Aug-15-2014	16	27.0	982
Aug-16-2014	19	27.1	985
Aug-17-2014	25	26.8	984
Aug-18-2014	24	26.0	897
Aug-19-2014	27	25.8	881
Aug-20-2014	30	24.9	858
Aug-21-2014	39	25.4	865
Aug-22-2014	34	25.6	821
Aug-23-2014	35	24.6	920
Aug-24-2014	39	25.4	900
Aug-25-2014	46	24.9	926
Aug-26-2014	52	24.3	845
Aug-27-2014	47	25.4	731
Aug-28-2014	39	26.4	879
Aug-29-2014	37	26.2	946
Aug-30-2014	35	25.8	899
Aug-31-2014	40	25.5	914

Notes:

See Table 19 for explanation of footnotes and agency abbreviations.
Preliminary Data

Table 6b. Monthly Averages

PARAMETER	Flow	Temperature	Specific Conductance
DATA SOURCE	Calculated	USGS	USGS
UNITS	acre-feet	°C	µS/cm
January	4,820	17	1,760
February	3,800	14	1,960
March	4,600	17	2,170
April	5,480	20	1,820
May	2,810	23	1,640
June	1,900	25	1,360
July	1,790	27	1,050
August	1,880	26	923
September			
October			
November			
December			

Table 6c. Water quality monitoring in Salt Slough at Highway 165 (Station F)

PARAMETER	Physicals					Total Selenium	Total Boron	Total Molybdenum
	Dissolved Oxygen	pH	Specific Conductance	Temperature	Turbidity			
	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE			
UNITS	mg/L	units	µS/cm	°C	NTU	ug/L	mg/L	ug/L
Jun-06-2014								
Jun-13-2014	9.8	7.4	1,490	24.5		< 0.4	0.6	
Jun-20-2014	10.3	7.4	1,420	24.0	53.7	< 0.4	0.6	
Jun-26-2014	9.7	7.9	1,300	23.6	51.9	0.4	0.4	10
Jul-02-2014		7.4	1500	25.4	78.9	< 0.4	0.3	
Jul-11-2014	7.2	8.1	1080	27.1	74.2	< 0.4	0.4	
Jul-18-2014	9.0	7.6	1110	23.6	68.0	< 0.4	0.4	
Jul-25-2014	7.6	7.6	1060	25.6	74.6	0.4	0.5	
Jul-31-2014	7.3	8.3	1070	29.0		< 0.4	0.4	7
Aug-07-2014	8.2	7.6	941	25.9	78.2	< 0.4	0.4	
Aug-15-2014	10.4	8.7	976	25.0	61.0	< 0.4	0.4	
Aug-22-2014	10.3	7.6	868	25.5		< 0.4	0.3	

Notes:

	Nutrients				
	Nitrates as N (dissolved)	Ammonia as N	Total Kjeldahl Nitrogen	Total phosphorous	Ortho-phosphate as P
	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE
UNITS	mg/L	mg/L	mg/L	mg/L	mg/L
Jan-09-2014	<10	0.3	0.8	0.095 L,V	0.050 T
Feb-27-2014	1.3 T	0.3 L	1.0	0.320 T	<0.010
Mar-26-2014	0.8	0.1	1.0	0.290 T	0.057
Apr-25-2014					
May-08-2014	0.5	0.1	0.7	0.21 T	0.1
Jun-26-2014	0.5	< 0.5	0.5	0.26	0.1
Jul-31-2014	0.5	0.1 V	1.3	0.22	0.1
Aug-01-2014					

Notes:

Results of the Interim Monitoring Program Oct 2013 - Feb 2014

	General Minerals						
	Calcium	Magnesium	Potassium	Sodium	Chloride (dissolved)	Sulfate (dissolved)	Total Organic Carbon
	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE
UNITS	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Jan-09-2014	68	40	4.2	220	290	230	NA
Feb-27-2014	85	53	4.6	310	360	280	5.4

Notes:

	Total Metals							
	Arsenic	Cadmium	Copper	Lead	Mercury	Molybdenum	Nickel	Zinc
	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE
UNITS	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Jan-09-2014	<5.0	<1.0	18	<2.5	110	9.4	<10	5.3
Feb-27-2014	<5.0	<1.0	<50	<2.5	<100	12.0	11	<10

Notes:

**Table 7a. Water quality monitoring in Grasslands Wetlands Water Supply Channels
Station J Camp 13 Ditch headworks**

PARAMETER	Flow	Specific Conductance	Temperature	Total Selenium
DATA SOURCE	GWD	USBR	GWD	USBR
UNITS	cfs	µS/cm	°C	µg/L
Jun-06-2014	<20			
Jun-13-2014	<20			
Jun-20-2014	<20			
Jun-26-2014	<20			
Jul-02-2014	<20			
Jul-11-2014	<20			
Jul-18-2014	<20			
Jul-25-2014	<20			
Jul-31-2014	<20			
Aug-04-2014	<20			
Aug-11-2014	<20			
Aug-18-2014	<20			
Aug-25-2014	<20			

Notes:

Samples only collected when flow is passing site. Flow of less than 20 cfs does not reach Site C.
June, July, and August: Flow <20 cfs (no sample collected)

**Table 7b. Water quality monitoring in Grasslands Wetlands Water Supply Channels
Station K2 Agatha Canal headworks**

PARAMETER	Flow	Specific Conductance	Temperature	Total Selenium
DATA SOURCE	GWD	USBR	GWD	USBR
UNITS	cfs	µS/cm	°C	µg/L
Jun-06-2014	<20			
Jun-13-2014	<20			
Jun-20-2014	<20			
Jun-26-2014	<20			
Jul-02-2014	<20			
Jul-11-2014	<20			
Jul-18-2014	<20			
Jul-25-2014	<20			
Jul-31-2014	<20			
Aug-04-2014	<20			
Aug-11-2014	<20			
Aug-18-2014	<20			
Aug-25-2014	<20			

Notes:

Samples only collected when flow is passing site. Flow of less than 20 cfs does not reach Site C.
June, July, and August: Flow <20 cfs (no sample collected)

Table 8a. Water monitoring in the San Joaquin River above Merced River Station H2

PARAMETER	Flow	Temperature	Specific Conductance
DATA SOURCE	USGS	USGS	USGS
UNITS	cfs	°C	µS/cm
Aug-01-2014	24	28.4	1,770
Aug-02-2014	24	28.0	1,600
Aug-03-2014	26	26.6	1,520
Aug-04-2014	26	24.1	1,530
Aug-05-2014	26	24.1	1,890
Aug-06-2014	25	25.9	1,730
Aug-07-2014	23	27.1	1,670
Aug-08-2014	20	27.4	2,110
Aug-09-2014	22	26.8	2,290
Aug-10-2014	21	25.8	2,120
Aug-11-2014	20	25.4	2,360
Aug-12-2014	19	26.7	2,640
Aug-13-2014	19	25.7	2,580
Aug-14-2014	20	26.0	2,590
Aug-15-2014	20	26.7	2,310
Aug-16-2014	19	27.1	2,620
Aug-17-2014	20	26.5	2,770
Aug-18-2014	23	26.0	2,280
Aug-19-2014	23	26.2	2,130
Aug-20-2014	25	25.8	2,060
Aug-21-2014	25	25.6	1,800
Aug-22-2014	28	26.0	1,540
Aug-23-2014	28	25.4	1,430
Aug-24-2014	28	25.4	
Aug-25-2014	29	24.8	
Aug-26-2014	30		
Aug-27-2014	34	26.0	1,320
Aug-28-2014	34	26.3	1,230
Aug-29-2014	32	25.9	1,310
Aug-30-2014	30	25.6	1,530
Aug-31-2014	30	25.5	1,550

Notes:

See Table 19 for explanation of footnotes and agency abbreviations.
Preliminary Data

Table 8b. Monthly Averages

PARAMETER	Flow	Temperature	Specific Conductance
DATA SOURCE	Calculated	USGS	USGS
UNITS	acre-feet	°C	µS/cm
January	11,780	13	2,600
February	12,100	14	2,580
March	13,040	17	2,680
April	10,030	20	2,590
May	4,100	23	3,170
June	2,250	25	3,200
July	1,570	27	2,390
August	1,530	26	1,940
September			
October			
November			
December			

Table 9. Water quality monitoring in the San Joaquin River above Merced River at China Island Refuge Station R

PARAMETER	Physicals					Total Selenium	Total Boron	Total Molybdenum
	Dissolved Oxygen	pH	Specific Conductance	Temperature	Turbidity			
	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE			
UNITS	mg/L	units	µS/cm	°C	NTU	ug/L	mg/L	ug/L
Jun-06-2014	22.1	8.4	4,480	26.4	15.8	0.5	2.2	
Jun-13-2014	11.9	8.5	2,120	27.5		< 0.4	0.8	
Jun-20-2014	11.3	8.3	3,160	26.7	46.1	1.6	2.7	
Jun-26-2014	15.6	8.8	3,630	26.0	64.3		3.4	14
Jul-02-2014		8.6	2,090	28.2	40.1	1.5	1.2	
Jul-18-2014	8.4	8.3	2,830	26.3	18.1	0.6	1.8	
Jul-25-2014	8.2	8.3	2,830	26.6	26.3	0.8	3.1	
Aug-07-2014								
Aug-15-2014	10.3	8.4	2,400	26.7	17.2	0.5	1.2	
Aug-22-2014	8.2	8.3	1,380	27.4	NA	< 0.4	0.6	

Notes:

	Nutrients				
	Nitrates as N (Dissolved)	Total ammonia	Total Kjeldahl Nitrogen	Total phosphorous	Ortho-phosphate as P
	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE
UNITS	mg/L	mg/L	mg/L	mg/L	mg/L
Jan-09-2014	0.16	0.098	0.85	0.16V	0.054 T
Feb-27-2014					
Mar-26-2014	0.05	0.110	2.00	0.53 T	0.150
Apr-25-2014					
May-08-2014	<0.01	0.051	1.00	0.20 T	<0.010
Jun-26-2014	<1.00	<0.50	1.60	0.30	<0.050
Aug-01-2014					

Notes: No nutrients, general minerals or total minerals collected at Site R in February due to unsafe site conditions

Results of the Interim Monitoring Program Oct 2013 - Feb 2014

	General Minerals							
	Calcium	Magnesium	Potassium	Sodium	Chloride (Dissolved)	Sulfate (Dissolved)	Total Organic Carbon	Total Dissolved Solids
	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE
UNITS	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	Units	mg/L
Jan-09-2014	91	59	5.1	310	430	430	NA	NA
Feb-27-2014								

Notes: No nutrients, general minerals or total minerals collected at Site R in February due to unsafe site conditions

	Total Metals								
	Arsenic	Boron	Cadmium	Copper	Lead	Mercury	Molybdenum	Nickel	Zinc
	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE	DATA SOURCE
UNITS	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Jan-09-2014	<5.0	1,800	<1.0	23	<2.5	<100	12	<10	<5.0
Feb-27-2014									

Notes: No nutrients, general minerals or total minerals collected at Site R in February due to unsafe site conditions

Table 10a. Water monitoring in the San Joaquin River at Fremont Ford (Stati

PARAMETER	Flow	Temperature	Specific Conductance
DATA SOURCE	USGS	USGS	USGS
UNITS	cfs	°C	µS/cm
Aug-01-2014	36	28.6	1,210
Aug-02-2014	36	28.2	1,230
Aug-03-2014	36	26.7	1,140
Aug-04-2014	35	24.4	1,200
Aug-05-2014	34	25.4	1,230
Aug-06-2014	36	26.6	1,260
Aug-07-2014	30	27.4	1,280
Aug-08-2014	28	27.4	230
Aug-09-2014	30	27.1	640
Aug-10-2014	27	25.8	270
Aug-11-2014	26	26.4	150
Aug-12-2014	26	26.0	1,500
Aug-13-2014	27	25.6	1,810
Aug-14-2014	29	26.4	1,390
Aug-15-2014	26	26.4	1,780
Aug-16-2014	25	26.4	2,230
Aug-17-2014	30	26.1	1,620
Aug-18-2014	30	25.9	1,540
Aug-19-2014	29	26.0	1,530
Aug-20-2014	31	25.9	1,420
Aug-21-2014	33	25.9	1,260
Aug-22-2014	37	25.9	1,070
Aug-23-2014	34	25.4	1,280
Aug-24-2014	35	25.6	1,230
Aug-25-2014	37	24.9	1,190
Aug-26-2014	41	24.6	1,060
Aug-27-2014	43	25.5	960
Aug-28-2014	41	26.2	1,030
Aug-29-2014	37	25.9	1,340
Aug-30-2014	37	25.6	1,370
Aug-31-2014	36	25.4	1,390

Notes:

See Table 19 for explanation of footnotes and agency abbreviations.
 Preliminary Data

Table 10b. Monthly Averages

PARAMETER	Flow	Temperature	Specific Conductance
DATA SOURCE	Calculated	USGS	USGS
UNITS	acre-feet	°C	µS/cm
January	6,310	10	1,990
February	6,040	14	2,150
March	6,900	17	2,270
April	6,670	20	2,230
May	2,770	23	2,310
June		25	2,040
July		27	1,580
August	2,020	26	1,220
September			
October			
November			
December			

Table 11a. Water monitoring in the San Joaquin River at Crows Landing (Station N)

PARAMETER	Flow	Temperature	Specific Conductance	Total Selenium
DATA SOURCE	USGS	USGS	USGS	USBR
UNITS	cfs	°C	µS/cm	µg/L
Aug-01-2014	62	27.3	1,560	0.6
Aug-02-2014	75	27.3	1,430	0.5
Aug-03-2014	71	26.2	1,400	0.4
Aug-04-2014	70	24.2	1,380	0.5
Aug-05-2014	62	24.1	1,340	< 0.4
Aug-06-2014	59	25.3	1,410	0.4
Aug-07-2014	60	26.2	1,540	0.6
Aug-08-2014	61	26.4	1,500	0.6
Aug-09-2014	54	26.0	1,500	0.6
Aug-10-2014	57	25.4	1,520	0.7
Aug-11-2014	45	25.3	1,560	0.7
Aug-12-2014	38	25.8	1,660	0.7
Aug-13-2014	48	24.9	1,720	0.7
Aug-14-2014	64	25.1	1,680	0.7
Aug-15-2014	72	25.6	1,440	0.5
Aug-16-2014	56	25.7	1,460	0.6
Aug-17-2014	57	25.4	1,520	0.6
Aug-18-2014	48	25.1	1,490	0.5
Aug-19-2014	57	24.8	1,550	0.5
Aug-20-2014	63	24.8	1,610	0.6
Aug-21-2014	77	24.8	1,580	0.5
Aug-22-2014	81	25.8	1,470	< 0.4
Aug-23-2014	74	25.3	1,440	< 0.4
Aug-24-2014	73	24.8	1,500	< 0.4
Aug-25-2014	77	24.6	1,550	0.4
Aug-26-2014	81	23.9	1,580	0.5
Aug-27-2014	83	25.0	1,520	< 0.4
Aug-28-2014	79	25.6	1,410	< 0.4
Aug-29-2014	84	25.7	1,390	0.4
Aug-30-2014	86	25.2	1,360	< 0.4
Aug-31-2014	85	24.9	1,390	< 0.4

Notes:

Preliminary Data

11b. Monthly Averages

PARAMETER	Flow	Temperature	Specific Conductance	Selenium
DATA SOURCE	Calculated	Calculated	Calculated	Calculated
UNITS	acre-feet	°C	µS/cm	µg/L
January	22,200	10	1,620	0.7
February	22,450	13	1,760	1.3
March	22,480	17	2,180	1.1
April	11,060	20	1,710	0.5
May	21,700	17	2,110	1.1
June	6,040	25	1,880	0.8
July	4,200	27	1,700	0.8
August	4,080	25	1,500	0.6
September				
October				
November				
December				

Table 11c. Water quality monitoring in the San Joaquin River at Crows Landing (Station N)

PARAMETER	Physicals					Selenium	Boron	Molybdenum
	Dissolved Oxygen	pH	Specific Conductance	Temperature	Turbidity			
DATA SOURCE	USBR	USBR	USBR	USBR	USBR	USBR	USBR	USBR
UNITS	mg/L	units	µS/cm	°C	NTU	µg/L	mg/L	mg/L
Jun-06-2014	18.0	8.0	1,780	26.6	22.9	0.6	0.8	
Jun-13-2014	9.3	8.6	1,570	24.2		0.4	0.6	
Jun-20-2014	13.4	8.1	2,020	23.4	20.7	0.5	1.1	
Jun-26-2014	18.0	8.4	2,120	24.2	22.9	1.3	1.5	7.9
Jul-11-2014	7.7	8.1	1,730	27.0	35.8	0.7	1.0	
Jul-18-2014	8.2	8.2	1,620	26.1	80.3	0.6	0.8	
Jul-25-2014	8.4	8.0	1,560	26.9	27.2	0.5	0.8	
Jul-31-2014	7.7	8.3	1,850	28.8		0.8	1.0	6.2
Aug-07-2014	7.1	7.7	1,700	25.8	21.7	0.6	0.9	

Notes:

Table 12. Summary of fathead minnow (*Pimephales promelas*) larvae survival in 7-day tests using water samples collected from March 2014 to March 2016. Each value is the mean of 4 replicates with 10 fish in each replicate.

See Table 19 for explanation of footnotes and agency abbreviations.

LOCATION	Station B	Station C	Station D	Station F	Delta Mendota Canal	Laboratory Control
DATA SOURCE	SLDMWA	SLDMWA	SLDMWA	SLDMWA	SLDMWA	SLDMWA
UNITS	%	%	%	%	%	%
Mar-2014	90	93	98	93	73 ^a	95
Jun-2014	95	98	88	98	95	95
Sep-2014						
Nov-2014						
Mar-2015						
Jun-2015						
Sep-2015						
Mar-2016						

Table 13. Summary of fathead minnow (*Pimephales promelas*) larvae growth in 7-day tests using water samples collected from March 2014 to March 2016. Each value is the mean of 4 replicates with 10 fish in each replicate.

See Table 19 for explanation of footnotes and agency abbreviations.

LOCATION	Station B	Station C	Station D	Station F	Delta Mendota Canal	Laboratory Control
DATA SOURCE	SLDMWA	SLDMWA	SLDMWA	SLDMWA	SLDMWA	SLDMWA
UNITS	mg	mg	mg	mg	mg	mg
Mar-2014	0.84	0.70	0.78	0.68	0.74	0.74
Jun-2014	0.67	0.62	0.75	0.83	0.62	0.67
Sep-2014						
Nov-2014						
Mar-2015						
Jun-2015						
Sep-2015						
Mar-2016						

Table 14. Summary of *Daphnia magna* survival in 7-day tests using water samples collected from March 2014 to March 2016. Each value is the mean of 10 replicates with 1 animal in each replicate.

See Table 19 for explanation of footnotes and agency abbreviations.

LOCATION	Station B	Station C	Station D	Station F	Delta Mendota Canal	Laboratory Control
DATA SOURCE	SLDMWA	SLDMWA	SLDMWA	SLDMWA	SLDMWA	SLDMWA
UNITS	%	%	%	%	%	%
Mar-2014	100	90	100	100	100	100
Jun-2014	100	100	90	20*	90	80
Sep-2014						
Nov-2014						
Mar-2015						
Jun-2015						
Sep-2015						
Mar-2016						

Table 15. Summary of *Daphnia magna* reproduction in 7-day tests using water samples collected from March 2014 to March 2016. Each value is the mean of 10 replicates with 1 animal in each replicate.

See Table 19 for explanation of footnotes and agency abbreviations.

LOCATION	Station B	Station C	Station D	Station F	Delta Mendota Canal	Laboratory Control
DATA SOURCE	SLDMWA	SLDMWA	SLDMWA	SLDMWA	SLDMWA	SLDMWA
UNITS	neonates per female	neonates per female	neonates per female	neonates per female	neonates per female	neonates per female
Mar-2014	67.4*	72.3	86.9	88.8	85.0	82.9
Jun-2014	72.4	88.1	53.1*	41.7*	68.8	61.3
Sep-2014						
Nov-2014						
Mar-2015						
Jun-2015						
Sep-2015						
Mar-2016						

Table 16. Summary of *Selenastrum capricornutum* growth in 4-day tests using water samples collected from March 2014 to March 2016. Each value is the mean of 4 replicates.

See Table 19 for explanation of footnotes and agency abbreviations.

LOCATION	Station B	Station C	Station D	Station F	Delta Mendota Canal	Laboratory Control
DATA SOURCE	SLDMWA	SLDMWA	SLDMWA	SLDMWA	SLDMWA	SLDMWA
UNITS	10 ⁵ cells/mL	10 ⁵ cells/mL	10 ⁵ cells/mL	10 ⁵ cells/mL	10 ⁵ cells/mL	10 ⁵ cells/mL
Mar-2014	4.2*	7.2	7.9	7.7 ^a	7.3	4.1
Jun-2014	2.2*		2.8*	5.4*	6.2	4.2
Sep-2014						
Nov-2014						
Mar-2015						
Jun-2015						
Sep-2015						
Mar-2016						

Table 17. Summary of selenium concentrations in grab water samples collected at study stations for use in laboratory toxicity tests

See Table 19 for explanation of footnotes and agency abbreviations.

LOCATION	Station B	Station C	Station D	Station F	Delta Mendota Canal
DATA SOURCE	SLDMWA/USBR	SLDMWA/USBR	SLDMWA/USBR	SLDMWA/USBR	SLDMWA/USBR
UNITS	µg/L	µg/L	µg/L	µg/L	µg/L
17-Mar-14	18	< 0.8	1.3	0.5	< 0.4
19-Mar-14	18	< 0.8	1.5	0.5	< 0.4
21-Mar-14	18	< 0.8	1.7	0.4	< 0.4
9-Jun-14	16	< 0.8	7.2	< 0.4	< 0.4
11-Jun-14	15	< 0.8	3.3	< 0.4	< 0.4
13-Jun-14	15	< 0.8	11	< 0.4	< 0.4
Sep-2014					
Nov-2014					
Mar-2015					
Jun-2015					
Sep-2015					
Mar-2016					

Table 18. Summary of total suspended solids concentrations in grab water samples collected at study stations for use in laboratory toxicity tests

See Table 19 for explanation of footnotes and agency abbreviations.

LOCATION	Station B	Station C	Station D	Station F	Delta Mendota Canal
DATA SOURCE	SLDMWA	SLDMWA	SLDMWA	SLDMWA	SLDMWA
UNITS	mg/L	mg/L	mg/L	mg/L	mg/L
17-Mar-14	87 **	61	79	60	6.0
19-Mar-14	< 5.0 T,V **	69 T,V	62 T,V	62 T,V	5.8 T,V
21-Mar-14	46	64	59	58	6.0
9-Jun-14	50 T	58 T	31 T	24 T	<0.5 T
11-Jun-14	51 T	49	16 T	110	23.0
13-Jun-14	47	39	57	<0.5 T	<0.5 T
Sep-2014					
Nov-2014					
Mar-2015					
Jun-2015					
Sep-2015					
Mar-2016					

Table 19. Explanations of footnotes and agency abbreviations.

Agency	
CVRWQCB	California Regional Water Quality Control Board, Central Valley Region
GWD	Grasslands Water District
SLDMWA	San Luis & Delta-Mendota Water Authority
USBR	U.S. Bureau of Reclamation
USGS	U.S. Geological Survey
WSJRWC	Westside San Joaquin River Watershed Coalition (WSJRWC)
Water Quality Monitoring	
e	Estimated value
.	Not applicable
<	Less than MDL
D	Sample was dechlorinated
G	Data from records of the Grassland Water District.
H	Result may have high bias
J	Result is between the MDL and RL
L	Result may have low bias
MDL	Minimum detection level
	Not analyzed - operator error, data will not be available in the future
NP	Not Provided. Data may be available in the future.
NT	Not tested
P	Pending, data not available at this time but will be available in the future
RL	Reporting level
T	Result obtained past the holding time
U	Result determined to be an outlier at the time of data validation
V	Result may vary excessively from the true value
UA3	Use Agreement for Continued Use of the San Luis Drain January 2010 - December 2019
Toxicity	
*	Significantly reduced from Delta Mendota Canal ($p < 0.05$)
**	Sample re-analyzed and result confirmed.
L	Result may be biased low. Sample was not preserved in the field
†	DMC water failed to meet the survival (>80%) acceptability criteria.
†††	DMC water failed to meet the reproduction (>10 neonates/adult) acceptability criteria.
††††	DMC water failed to meet minimum growth (10^6 cell/mL) acceptability criteria.
‡	Control value exceeds suggested maximum variance (20%) acceptability criteria.
‡‡	Fungal growth observed on test organisms.
‡‡‡	Failed cell density requirement of $1E6$ cells.
#	New testing laboratory with reporting limit of $0.4 \mu\text{g/L}$ as of June 1998.
v	Based on definitive bioassay, NOEC is 50 percent
a	The growth response for one of the replicates at this test treatment was determined